



# UPDATED 'OPTION' MNEMONICS

DireXions 2024

# 'OPTION' MNEMONICS

- Used for setting specific environment properties at run time within a session

- **Example**

```
Print 'OPTION'("DrpBtnTickClr","Red")
```

```
SETDEV (0) SET "DrpBtnTickClr" TO "Red"
```

# 'OPTION' MNEMONICS - GRAPHICAL

OPTION	Description
<a href="#">StdLvueLineClr</a>	Defines the text color when the mouse is over a row in a List View. (Report View Only)
<a href="#">StdGridLineClr</a>	Sets the standard/default line color for all subsequent grids. (Default is RGB: 220,220,220)
<a href="#">StdGridHideButtons</a>	Sets the default <a href="#">HideButtons</a> property for all subsequent grids.
<a href="#">StdGridQueryImg</a>	<p>This option defines the image to use in the query/lookup buttons of a grid.</p> <p>The value of the setting is an image pathname or internal image (!xxxxxx). An invalid value will result in the original ellipsis (...) being used.</p>
<a href="#">TipColor</a>	<p>Defines the color for non-HTML tips.</p> <p>Valid formats for defining a color include predefined system color names (e.g. LightRed), RGB values, HSL values, Hex color codes, color blending, and dynamic color lightening.</p>

# 'OPTION' MNEMONICS - GRAPHICAL

OPTION	Description
<a href="#">ClrPlusZ SB Back</a>	Sets background for any 'SB' data. (Default: Light Gray button face color)
<a href="#">ClrPlusZ SF Back</a>	Sets background for any 'SF' data. (Default: White)
<a href="#">ClrPlusZ Text</a>	Sets text. (Default: Black)
<a href="#">LockOverDisable</a>	When set ("1" or "Y"), Multi_Line input fields that are <b>both</b> locked <b>and</b> disabled will display as locked (as opposed to disabled).

# 'OPTION' MNEMONICS - GRAPHICAL

- These options control the color of the drop box button and tick color



OPTION	Description
<a href="#">DrpBtnBackClr</a>	Background color of the Drop Box button.
<a href="#">DrpBtnDisableBackClr</a>	Background color of the Drop Box button when the Drop Box is disabled.
<a href="#">DrpBtnHoverBackClr</a>	Hover background color of the Drop Box button. Defaults to the Windows hover color if no drop button colors are set; otherwise, defaults to the drop button background color but is 25% lighter.
<a href="#">DrpBtnHoverTickClr</a>	Hover color of the down arrow/tick on the Drop Box button. Defaults to the Windows tick color if no drop button colors are set; otherwise, defaults to the drop button tick color but is 25% lighter.
<a href="#">DrpBtnTickClr</a>	Color of the down arrow/tick on the Drop Box button.

# 'OPTION' MNEMONICS - NON-GRAPHICAL

OPTION	Description
<a href="#">BrowserDebug</a>	<p>New Option to set the browser developer console to display in a popup window for any subsequently created <a href="#">*BROWSER</a> controls. Set to "1", "Y" or "y" to display.</p> <pre>PRINT 'OPTION'("BrowserDebug","1")</pre>
<a href="#">Copy 1Line NoCR</a>	<p>New Option controls the system built-in text Copy functionality. When set to "1" or "YES" and the text being copied consists of only one line, no trailing line feed will be appended to the text.</p>
<a href="#">DateFmt</a>	<p>New Option allows you to change the Date format to be used on the specified channel open to a database connection. Cannot be used with a native file.</p> <pre>PRINT (channel), 'OPTION'("DATEFMT","YYYYMMDD")</pre>